



Pregnant?

Warning: Zika is linked to birth defects
There is no vaccine to prevent Zika virus infection

Protect your pregnancy

From getting Zika from mosquito bites



Daytime is most dangerous

Mosquitoes that spread Zika are aggressive daytime biters. They can also bite at night.

Use insect repellent

It's safe and it works! Read the label and follow the directions.



Cover your skin

Wear long-sleeved shirts and long pants. For extra protection, treat clothing with permethrin.

Mosquito-proof your home

Use screens on windows and doors.
Use air conditioning when available.
Eliminate standing water.



From getting Zika from sex



Don't have sex

Don't have sex with your male partner during your pregnancy.

OR

Use a condom

Use a condom the right way every time you have vaginal, anal, or oral sex during your pregnancy.



Talk to your healthcare provider

If you think your male partner may have or had Zika, tell your healthcare provider if you had sex without a condom.

**Fulton County
Mosquito Hotline:
404-613-1303**



Fulton County is an equal opportunity employer encouraging diversity. If you need reasonable modifications due to a disability, including communications in an alternate format, please call (404) 613-1204. For TDD/TYY or Georgia Relay Service Access, dial 711.

For more information:
www.cdc.gov/chikungunya
www.cdc.gov/dengue
www.cdc.gov/zika



**U.S. Department of
Health and Human Services**
Centers for Disease
Control and Prevention